



CATALOGUE HT2012

17mm







スノ

CONTENT PAGES



Professional Tool Trolley & Mechanic Tools Set Series pages 1 - 5

Professional Torque Wrench & Ratchet Handle Series pages 5-6

Professional Combination Wrench Series pages 6 - 9

Professional Socket Series pages 9 - 15

Professional Pliers & Cutters Series pages 15 - 18

Professional ScrewDriver & Hex Key Series pages 18 - 22

Professional Hammer, Chisel, Hand Riveter & Measuring Tools Series pages 22 - 24

ISO 9001:2008 CERTIFICATE, CE CERTIFICATE, VDE PLIERS CERTIFICATE, VDE SCREWDRIVERS CERTIFICATE











JONNESWAY honor recognized the 2008 11th Rising Star Award by the Taiwan government - Ministry of Economic Affairs

JONNESWAY honor acquired the 2009 Taiwan Superior Brands **Rewards by TAITRA Taiwan Superior Brand Award**



PROMISE HIGH QUALITY - TO SATISFY THE PROFESSIONAL MARKET DEMANDS All of Jonnesway tools meet the international standard, many even exceeding the require meets by DIN and ANSI.



CITROËN

OFFER COMPETITIVE PRICE

after-market service

PROVIDE EXPERIENCED SUPPORT AND TECHNICAL

with experience and technical know-how to fascilitate our distributors to establish loyal customers and to attract new

customers by providing excellent

WAY. provides support

SERVICES - TO KEEP CUSTOMER LOYALTY

WAY. offers the same or even better qualities as compared to other internationally famous brands, but at a competitive price


GUARANTEE HIGH-QUALITY AND SUPERB INNOVATION -- TO STIMULATE TURNOVER & DEMANDS With higher quality and greater function, JONNESWAY. R&D aims to achieve industrial safety, environmental protection and user injury reduction, to ensure our distributors' advancement in the market, as well as to stimulate new demands and increase.


FULL LINE OF JONNESWAY PROFESSIONAL TOOLS -- ONE-STOP SHOPPING SERVICES


- 1.) Jonnesway Professional Hand Tools
- 2.) Jonnesway Professional Pneumatic Tools
- 3.) Jonnesway Professional Spray Gun And Sander Series
- 4.) Jonnesway Professional Automotive Repair And Garage Equipment
 5.) Jonnesway Professional Tool Trolley With Mechanic Tools Set

Year 2008, JONNESWAY products have been highly recommended by the very famous car factories PEUGEOT, SUZUKI and CITROEN in South Africa.









PROFESSIONAL TORQUE WRENCH & RATCHET HANDLE SERIES | 06







7PCS 72 TEETH FLEXIBLE RATCHETING COMBINATION WRENCH SET (SAE) Contents : 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"



W67104S

4PCS 72 TEETH RATCHETING STAR WRENCH SET SIZE : E6 X E8, E10 X E12, E14 X E18, E20 X E24

- · 72 Teeth ratcheting system provides high torque and 5 degrees of operation in tight areas
- Chrome Vanadium Steel Mirror Polished





- 72 TEETH RATCHETING BOX END WRENCH 72 Teeth ratcheting system provides high torque and 5 degrees of operation in tight
- areas Chrome Vanadium steel and special heat treatments provides thin walls for strength
- Meeting ANSI standard



W71


45° COMBINATION WRENCH (18PT) CHROME VANADIUM
 MAT FINISHED



SLUGGING WRENCH ·CHROME-MOLYBDENUM MANGANESE PHOSHATING

MAT FINISHED





W71114S 14 PCS 45° COMBINATION WRENCH SET

 CHROME VANADIUM • MAT FINISHED



W84 SUPER TECH COMBINATION WRENCH (CR-V) The revolutionary SUPER TECH is the ONE DRIVE FIT ALL solution for all fastening needs.

• The SUPER TECH system fits in Sqaure, Triangle, Diamond, Hex, E-torx,12pt, and Spline nuts & bolts.

• It can also apply on the 50% maximum rounded off nuts & bolts. · Instead of connecting to several sharp points, the contact of nuts/ bolts' point can evenly distributed onto larger surface areas during

application so the nuts/bolts will not be damaged easily. Torque exceeds double the normal DIN standard. • The SUPER TECH system can be applied to a wide variety of

markets - Automotive, Industrial, Retail & Hardware







5 Material: CR-V
 Mirror Finisl


W84108§

8PCS SUPER TECH COMBINATION WRENCH SET CONTENTS • 8PCS - SUPER TECH COMBINATION WRENCH : 8. 10. 11. 12. 13. 14. 17. 19mm • FINISH : SATIN FINISH





S02AD4 1/2" DR. NON-SLIP DEEP IMPACT SOCKETS



S03A3

3/8" DR. 6PT FLANK IMPACT SOCKETS (MM) • DIN 3129 • CHROME MOLYBDENUM PHOSPHATE COATING





New

(MM)

• DIN 3129 • CHROME MOLYBDENUM PHOSPHATE COATING



1/2" DR. 6PT FLANK IMPACT SOCKETS (MM) • DIN 3129 • CHROME MOLYBDENUM PHOSPHATE COATING

S03A4 1/2" DR. 6PT FLANK IMPACT SOCKETS (SAE)

 ANSI / ASME B107 2 CHROME MOLYBDENUM PHOSPHATE COATING

S03AD4 1/2" DR. 6PT FLANK DEEP IMPACT SOCKETS (MM) • DIN 3129 CHROME MOLYBDENUM PHOSPHATE COATING


S03A4A 1/2" DR. ADAPTERS • DIN 3121 CHROME MOLYBDENUM

S03A4E 1/2" DR. EXTENSION BARS • DIN 3121

CHROME MOLYBDENUM

S03A4U

1/2" DR. UNIVERSAL JOINT • DIN 3121 CHROME MOLYBDENUM





S03A6A

3/4" DR. UNIVERSAL JOINT • DIN 3121 CHROME MOLYBDENUM



3/4" DR. EXTENSION BARS DIN 3121 CHROME MOLYBDENUM

S03A6

3/4" DR. 6PT FLANK IMPACT SOCKETS (MM) • DIN 3129 CHROME MOLYBDENUM PHOSPHATE COATING

S03A6

3/4" DR. 6PT FLANK IMPACT SOCKETS (SAE) •ANSI / ASME B107.2 CHROME MOLYBDENUM PHOSPHATE COATING


S03AD6 3/4" DR. 6PT FLANK DEEP IMPACT

SOCKETS (MM) DIN 3129 · CHRÓME MOLYBDENUM PHOSPHATE COATING



S03A8

1" DR. 6PT FLANK IMPACT SOCKETS (SAE) ANSI/ASME B107.2
 CHROME MOLYBDENUM PHOSPHATE COATING



S03A8A

1" DR. ADAPTERS • DIN 3121 • CHROME MOLYBDENUM









PROFESSIONAL SOCKET SERIES | 10











FOLDABLE T-HANDLE EXTENSION BARS





| SOCK | ΈT | | 6.35 MM (1/4") | | | |
|------|-------|-------|----------------|--|--|--|
| STAR | D(MM) | L(MM) | W.(G) | | | |
| E4 | 13 | 25 | 12 | | | |
| E5 | 13 | 25 | 12 | | | |
| - | 13 | 25 | 12 | | | |
| E6 | 13 | 25 | 12 | | | |
| E7 | 13 | 25 | 13 | | | |
| E8 | 13 | 25 | 13 | | | |
| E8 | 13 | 25 | 13 | | | |
| - | 13 | 25 | 13 | | | |
| E10 | 13 | 25 | 13 | | | |
| E11 | 14 | 25 | 17 | | | |
| E12 | 15 | 25 | 19 | | | |
| E14 | 17 | 25 | 21 | | | |
| - | 18 | 25 | 24 | | | |
| E16 | 19 | 25 | 28 | | | |
| E18 | 21 | 25 | 25 | | | |
| | | | | | | |

| 3/8" SUPER TECH SOCKET 9.5 MM (3/8") | | | | | | | |
|--------------------------------------|--------|--------|------|-------|-------|-------|--|
| ITEM NO. | SIZE | | | | | | |
| | METRIC | SAE | STAR | D(MM) | L(MM) | W.(G) | |
| S68H3106 | 6 | - | E8 | 18 | 28 | 23 | |
| S68H31065 | - | 1/4" | E8 | 18 | 28 | 23 | |
| S68H3107 | 7 | 9/32" | - | 18 | 28 | 23 | |
| S68H3108 | 8 | 5/16" | E10 | 18 | 28 | 23 | |
| S68H3109 | 9 | 11/32" | E11 | 18 | 28 | 24 | |
| S68H3110 | 10 | 3/8" | E12 | 18 | 28 | 24 | |
| S68H3111 | 11 | 7/16" | E14 | 18 | 28 | 27 | |
| S68H3112 | 12 | 15/32" | - | 18 | 28 | 28 | |
| S68H3113 | 13 | 1/2" | E16 | 19 | 28 | 29 | |
| S68H3114 | 14 | 9/16" | E18 | 21 | 28 | 29 | |
| S68H3115 | 15 | 19/32" | - | 22 | 28 | 34 | |
| S68H3116 | 16 | 5/8" | E20 | 23 | 28 | 38 | |
| S68H3117 | 17 | 21/32" | - | 25 | 30 | 50 | |
| S68H3118 | 18 | 11/16" | E22 | 26 | 30 | 54 | |
| S68H3119 | 19 | 3/4" | E24 | 27 | 30 | 61 | |
| S68H3120 | 20 | 25/32" | - | 28 | 30 | 59 | |
| S68H3121 | 21 | 13/16" | E26 | 29 | 30 | 64 | |
| S68H3122 | 22 | 7/8" | E28 | 31 | 32 | 79 | |
| S68H3123 | 23 | 29/32" | E28 | 32 | 32 | 87 | |
| S68H3124 | 24 | 15/16" | E30 | 33 | 32 | 89 | |

S68H4

S68H3

| 1/2" SL | JPER | тесн | SOCK | KET | 12 | 2.7 MM (| 1/2") |
|----------|--------|---------|------|-------|-------|----------|-------|
| | | SIZE | | 50.00 | | | |
| ITEM NO. | METRIC | SAE | STAR | D(MM) | L(MM) | W.(G) | |
| S68H4108 | 8 | 5/16" | E10 | 23 | 38 | 48 | |
| S68H4109 | 9 | 11/32" | E11 | 23 | 38 | 51 | |
| S68H4110 | 10 | 3/8" | E12 | 23 | 38 | 53 | |
| S68H4111 | 11 | 7/16" | E14 | 23 | 38 | 54 | |
| S68H4112 | 12 | 15/32" | - | 23 | 38 | 55 | |
| S68H4113 | 13 | 1/2" | E16 | 23 | 38 | 56 | |
| S68H4114 | 14 | 9/16" | E18 | 23 | 38 | 59 | |
| S68H4115 | 15 | 19/32" | - | 23 | 38 | 63 | |
| S68H4116 | 16 | 5/8" | E20 | 24 | 38 | 70 | |
| S68H4117 | 17 | 21/32" | - | 25 | 38 | 74 | |
| S68H4118 | 18 | 11/16" | E22 | 26 | 38 | 75 | |
| S68H4119 | 19 | 3/4" | E24 | 27 | 38 | 70 | |
| S68H4120 | 20 | 25/32" | - | 29 | 40 | 86 | |
| S68H4121 | 21 | 13/16" | E26 | 30 | 40 | 95 | |
| S68H4122 | 22 | 7/8" | E28 | 31 | 40 | 96 | |
| S68H4123 | 23 | 29/32" | E28 | 32 | 40 | 107 | |
| S68H4124 | 24 | 15/16" | E30 | 33.5 | 42 | 122 | |
| S68H4125 | 25 | 31/32" | E32 | 33.5 | 42 | 135 | |
| S68H4126 | 26 | 1" | E32 | 36 | 42 | 152 | |
| S68H4127 | 27 | 1-1/16" | E34 | 38 | 44 | 173 | |
| S68H4128 | 28 | 1-3/32" | E36 | 39 | 44 | 151 | |
| S68H4129 | 29 | 1-1/8" | E36 | 40 | 44 | 186 | |
| S68H4130 | 30 | 1-3/16" | E38 | 41 | 45 | 193 | |
| S68H4132 | 32 | 1-1/4" | E40 | 44 | 45 | 225 | |

S57H108S

8PCS ANGLE SOCKET WRENCH SET



Contents : 8, 10, 11, 13, 16, 17, 18, 19MM

S60H3104S


4PCS 3/8" DR. LOCK EXTENSION BAR SET


1


Contents S60H3 : 4PCS-3/8" DR. LOCK EXTENSION BAR : 3", 6", 10", 18"





PROFESSIONAL SOCKET SERIES | 14











MHS100AG V1001 MTC2 HEAVY DUTY DELUXE TYPE HACKSAW DIAL VERNIER CALIPER HEAVY DUTY HAND RIVETER W/12" H.S.S BLADE MADE OF STAINLESS STEEL DIALINDICATOR HAS FINE LINE INDICATING Special Features Blade being positioned for 45° or HAND • FOUR MEASUREMENTS-INSIDE, OUTSIDE, 90° normal cutting DEPTH AND STEP Adjustable handle to increase tension up to 34000 PSI Torque Extra blades to be stored in top bar МТМ MICROMETERS **MHS2011** SATIN CHROME FINISHED THIMBLE AND HANDLE WITH EASY READING SCALE MULTI-ANGLE CUTTING QUALITY HACKSAW W/12" H.S.S. BLADE Special Features Blade For 180° Rotation To Work V1002 On Any Angle • Adjustable Handle To Increase Tension Up To 34,000 PSI Torque **MTC155** Fast & Easy Adjusting / Replacing Blade Extra Blades To Be Stored In Top Bar UTILITY TECHNICAL PENCIL EQUIPPED • MTC 155 TECHNICAL PENCIL WITH TUNGSTEN LEAD **MK2040** MTC3 QUICK CHANGE BLADE RETRACTABLE QUICK ADJUST DIVIDERS UTILITY KNIFE W/2PCS BLADE POLISH FINISH MATERIAL : CARBON STEEL OIL RESISTANCE RUBBER PAINT FOR NON-SLIP FUNCTION COLD RESISTANCE TO-20 QUICK CHANGE BLADE FUNCTION V1004 **MT03** FEATURES MEASURING TAPES EQUIPPED • HIGH IMPACT ABS CASE W / RUBBER PROTECTED MTC4 • RUBBER COVERED CASE, COMFORTABLE QUICK ADJUST OUTSIDE CALIPERS POLISH FINISH MATERIAL : CARBON STEEL MTC LARGE RANGE ELECTRONIC CALIPER • EASY TO READ DIGITAL LARGE LCD DISPLAY WITH INCH / METRIC CONVERSION. • MADE OF HARDENED, STAINLESS STEEL. V1005 MTC5 QUICK ADJUST INSIDE CALIPERS POLISH FINISH MTC1 • MATERIAL : CARBON STEEL VERIER CALIPER MADE OF STAINLESS STEEL FOUR MEASUREMENTS-INSIDE, OUTSIDE, DEPTH AND STEP

FEATURES : DROP FORGE HANDLE. ALUMINIUM BODY TUV + GS APPROVAL JAWS MADE OF SCM 4 EQUIPPED : 4 NOSE PIECES : 2.4MM (3/32"), 3.2MM (1/8"), 4.0MM (5/32"), 4.8MM (3/16") SCISSOR ACTION INDUSTRIAL RIVETER FEATURES : MADE OF DURABLE HIGH CARBON STEEL 4 NOSE PIECES 2.4MM (3/32"), 3.2MM (1/8"), 4.0MM (5/32"), 4.8MM (3/16")

FREE SUCTION HAND RIVETER HEAD ROTATES 360° FOR ANY ANGLE RIVETING 4 NOSE PIECES 2.4MM (3/32"), 3.2MM (1/8"), 4.0MM (5/32"), 4.8MM (3/16")



TWO WAY HAND RIVETER FEATURES : ALUMINUM BODY **EQUIPPED : 4 NOSE PIECES :** 2.4MM (3/32"), 3.2MM (1/8"), 4.0MM (5/32"), 4.8MM (3/16")



V1402 PROFESSIONAL CRIMPING TOOL **& WIRE STRIPPER** FEATURES : MULTI-PURPOSE (8 IN 1) QUICK & EASY WORK PAT

V1501 HEAVY DUTY EASY STRIPPER FFATURES

PROFESSIONAL GUARANTEE

JONNESWAY products are fully guaranteed against manufacturing defect including faulty material and workmanship, subjected to being used for its intended purpose and allowing for fair wear and tear.

Defective products will be repaired and/or replaced without charge at **JONNESWAY** 's discretion. The customer's purchased product which believes may have been manufactured with faulty material or workmanship should be returned for inspection and warranty decision to be made.

The Guarantee for **JONNESWAY** Professional Tools Series is a PROFESSIONAL Guarantee and it is effective for as long as you own the tool from when customer business purchased the tool. This PROFESSIONAL Guarantee does not extend to products that have been improper used such as misused, altered, abused, accident, repaired by customer or third party without principal proper instruction, modification by customer, or use after the product is worn or lack of maintenance.

The PROFESSIONAL Guarantee does not include rustiness after usage, electroplate, desquamation, plastic handle damage, surface scraped or scratched, costs or loss of profit incurred by purchaser or others due to injury and damage.







